




Flyer-Download



Clamp-Fix center clamp



for universal use on measuring machines

- Tool-free jaw change system
- Clamping force repeatability due to torque knob
- Various jaw types
- Coated aluminum

- Unlimited flexibility when clamping

- Various jaw types

- Grid plate jaws





Type	Item No.	Remarks
Clamp-Fix	197200.21	Basic equipment; without jaws

Technical data

- Base plate mountable on 25 and 50 mm grid plates
- Adjustable angle from 0°-90°, preset detent positions every approx. 15°
- Travel (without jaws): 28-68 mm


Dimensions

- Overall height: 150 mm (bottom to upper edge of side arms; without jaws)
- Base plate: 105 x 85 mm



Jaws for center clamp Clamp-Fix | made of aluminum, aged (corrosion-protected)

Type	Item No.
Prism jawset large	10000.081



Type	Item No.
Prism jaw small	10000.102



Type	Item No.
Block jaw small	10000.101



Type	Item No.
Pointed jaw set	10000.135




Type	Item No.
Prisms Block jaw	10000.031



Type	Item No.
Stepped Block jaw high	10000.103






Type	Item No.
Stepped Block jaw	10000.032




Arrangement jaws	Clamping range		Max. Diameter
Prism jaw-set (10000.081)	Ø 10-30 mm		ca. Ø 30 mm
Prism jaw small (10000.102) Block jaw (10000.101)	Ø 1.2-3 mm		ca. Ø 25 mm
Prism jaw small (10000.031) Block jaw (10000.032)	Ø 1.2-3 mm		ca. Ø 30 mm
Stepped block jaw high (10000.103) Stepped block jaw high (10000.103)	Ø 1-30 mm		ca. Ø 30 mm

Raster jaws for centering clamp Clamp-Fix | made of steel corrosion protected with prism protection insert

Type	Item No.	A	B	C	D1 Ø	D2 Ø
Raster jaws set	10000.108	42	80	56-90	16-32	3-6





TRANSFORMING YOUR
GOOD IDEAS
INTO GREAT SOLUTIONS



Maprox AG
Usterstrasse 87
CH-8620 Wetzikon
Tel: +41 (0)43 488 18 00
Fax: +41 (0)43 488 18 08
info@maprox.ch • www.maprox.ch

