



Flyer-Download

Your workpiece



Key-Chuck

The „all black“ aluminum chuck family from Maprox with lateral drive

- Aluminum lightweight construction
- Ground and case-hardened steel jaw system
- Recognizable by the unique feel of the Altef® coating
- Includes a set of ground, reversible steel top jaws

JKS AMERICA

maprox
swiss made

Type	Item No.	Clamping range [mm] outside - inside		Jaw travel [mm]	Hexagon [mm]
3 ZAS 125 Key	198125.00	3-140	32-140	36	8
3 ZAS 160 Key	198160.00	3-196	40-196	45	10
3 ZAS 240 Key	198240.00	4-292	38-292	65	13
3 ZAS 315 Key	198315.00	4-371	40-360	80	13

Technical data


- Repetitiveness: 10 μ
- Lateral runout: 10 μ
- Concentricity: 20 μ
- For shank diameter 3-371 mm and bore diameter 32-360 mm
- Clamping chucks made of aluminum
- Steel top jaws, ground and case-hardened (anti-corrosive)

Options

- Soft block top jaws W
- Top jaws also available in plastic, aluminum, brass etc. on request
- Special sizes XXL
- Even higher accuracies are possible on request


Steel top jaws, reversible, hardened and ground

Type	Item No.	a	b	e	h
3 ZAS 125	196061.10	49	20	14.76	7.5
3 ZAS 160	195383.10	58	25	14.76	7.5
3 ZAS 240	195268.01	100	37	24.62	10
3 ZAS 315	195416.10	130	42	29.62	10



Base jaw set, serves as the basis and interface for the top jaws

Type	Item No.	Number of threads	a	c	e
3 ZAS 125	196060.00	2	41.3	32	9
3 ZAS 160	195382.00	2	99.9	42	9
3 ZAS 240	195224.00	2	80	50	15
3 ZAS 315	195413.00	2	110	65	19





TRANSFORMING YOUR GOOD IDEAS INTO GREAT SOLUTIONS



JKS America Inc.
4420 Anson Boulevard
Whitestown IN 46075 - USA
Phone: +1 463-946 00 01
office@jks-america.com • www.jks-america.com

JKS
AMERICA

maprox
swiss made